

ESC 80 EMERGENCY EXIT LIGHTS



ESC 80 is an emergency exit light equipped with a light plate, combining cutting edge technology combined with modern luminaire design. Thanks to Teknoware's innovative electronics and product design, the ESC 80 luminaire combines uniformly illuminated pictograms, low power consumption, as well as a slender appearance.

There is a selection of three different luminaire sizes. ESC 80 luminaires can be used as 1 or 2 sided, as well as recess or surface mounted.

ESC 80 is particularly easy and fast to install thanks to a separate mounting piece, into which also the power supply is connected.

SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWS8092WMRT	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WMR	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WMT	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WM	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
Y8092WM103	220-240 V, 50/60 Hz AC		2-sided, 20 m	1

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 18, 2024 | Source:
www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
Y8092WM108	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WM107	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WM105	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	1
Y8092WM109	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WM101	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	1
Y8092WM102	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WM133	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WM138	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WM137	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WM135	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WM139	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WM131	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WM132	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WM143	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WM148	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WM147	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WM145	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WM149	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WM141	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WM142	220-240 V, 50/60 Hz AC		1-sided, 30 m	1

SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWS8092WAR	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WAT	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WART	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
TWS8092WA	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1
Y8092WA103	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	1
Y8092WA108	220-240 V, 50/60 Hz AC		1-sided, 20 m	1

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
Y8092WA107	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WA105	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	1
Y8092WA109	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WA101	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	1
Y8092WA102	220-240 V, 50/60 Hz AC		1-sided, 20 m	1
Y8092WA133	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WA138	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WA137	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WA135	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WA139	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WA131	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	1
Y8092WA132	220-240 V, 50/60 Hz AC		1-sided, 26 m	1
Y8092WA143	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WA148	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WA147	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WA145	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WA149	220-240 V, 50/60 Hz AC		1-sided, 30 m	1
Y8092WA141	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	1
Y8092WA142	220-240 V, 50/60 Hz AC		1-sided, 30 m	1

BASIC SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWS8092WR	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8053WMT	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3
TWT8053WM	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3
Y8053WM103	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
Y8053WM108	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WM107	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WM105	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3
Y8053WM109	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WM101	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3
Y8053WM102	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WM133	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WM138	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WM137	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WM135	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WM139	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WM131	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WM132	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WM143	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WM148	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WM147	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WM145	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WM149	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WM141	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WM142	220-240 V, 50/60 Hz AC		1-sided, 30 m	3

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8053WAT	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3
TWT8053WA	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3
Y8053WA103	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3
Y8053WA108	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WA107	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WA105	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
Y8053WA109	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WA101	220-240 V, 50/60 Hz AC	 	2-sided, 20 m	3
Y8053WA133	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WA102	220-240 V, 50/60 Hz AC		1-sided, 20 m	3
Y8053WA138	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WA137	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WA135	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WA139	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WA131	220-240 V, 50/60 Hz AC	 	2-sided, 26 m	3
Y8053WA132	220-240 V, 50/60 Hz AC		1-sided, 26 m	3
Y8053WA143	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WA148	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WA147	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WA145	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WA149	220-240 V, 50/60 Hz AC		1-sided, 30 m	3
Y8053WA141	220-240 V, 50/60 Hz AC	 	2-sided, 30 m	3
Y8053WA142	220-240 V, 50/60 Hz AC		1-sided, 30 m	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8051WKT	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8051WKRT	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8051WKXT	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
TWT8051WKX	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
TWT8051WKR	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8051WKB	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8051WK	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
Y8051WK103	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8051WK108	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
Y8051WK107	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051WK105	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8051WK109	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051WK101	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8051WK102	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051WK133	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051WK138	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051WK137	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051WK135	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051WK139	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051WK131	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051WK132	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051WK143	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051WK148	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051WK147	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051WK145	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051WK149	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051WK141	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051WK142	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8051WT	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8071WT	24-230 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8051W	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
Y8051W103	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8051W108	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051W107	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051W105	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
Y8051W109	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051W101	220-240 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8051W102	220-240 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8051W133	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051W138	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051W137	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051W135	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051W139	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051W131	220-240 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8051W132	220-240 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8051W143	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051W148	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051W147	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051W145	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051W149	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8051W141	220-240 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8051W142	220-240 V, 50/60 Hz AC, DC		1-sided, 30 m
TWT8071W	24-230 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
Y8071W103	24-230 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8071W108	24-230 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8071W107	24-230 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8071W105	24-230 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8071W109	24-230 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8071W101	24-230 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8071W102	24-230 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8071W133	24-230 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8071W138	24-230 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8071W137	24-230 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8071W135	24-230 V, 50/60 Hz AC, DC	 	2-sided, 26 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
Y8071W139	24-230 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8071W131	24-230 V, 50/60 Hz AC, DC	 	2-sided, 26 m
Y8071W132	24-230 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8071W143	24-230 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8071W148	24-230 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8071W147	24-230 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8071W145	24-230 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8071W149	24-230 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8071W141	24-230 V, 50/60 Hz AC, DC	 	2-sided, 30 m
Y8071W142	24-230 V, 50/60 Hz AC, DC		1-sided, 30 m

ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWT8041WKT	24 V, 50/60 Hz AC, DC	Tapsa Control
TWT8041WKRT	24 V, 50/60 Hz AC, DC	Tapsa Control
TWT8041WK	24 V, 50/60 Hz AC, DC	Tapsa Control
TWT8041WKR	24 V, 50/60 Hz AC, DC	Tapsa Control

NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8041WT	24 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
TWT8041W	24 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m
Y8041W103	24 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8041W108	24 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8041W107	24 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8041W105	24 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8041W109	24 V, 50/60 Hz AC, DC		1-sided, 20 m
Y8041W101	24 V, 50/60 Hz AC, DC	 	2-sided, 20 m
Y8041W102	24 V, 50/60 Hz AC, DC		1-sided, 20 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
Y8041W133	24 V, 50/60 Hz AC, DC		2-sided, 26 m
Y8041W138	24 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8041W137	24 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8041W135	24 V, 50/60 Hz AC, DC		2-sided, 26 m
Y8041W139	24 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8041W131	24 V, 50/60 Hz AC, DC		2-sided, 26 m
Y8041W132	24 V, 50/60 Hz AC, DC		1-sided, 26 m
Y8041W143	24 V, 50/60 Hz AC, DC		2-sided, 30 m
Y8041W148	24 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8041W147	24 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8041W145	24 V, 50/60 Hz AC, DC		2-sided, 30 m
Y8041W149	24 V, 50/60 Hz AC, DC		1-sided, 30 m
Y8041W141	24 V, 50/60 Hz AC, DC		2-sided, 30 m
Y8041W142	24 V, 50/60 Hz AC, DC		1-sided, 30 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 18, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-exit-lights/emergency-exit-light-product-families/esc-80-emergency-exit-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com